

JDSU Calibration Cycles



| Model | Recommended Calibration Interval (months) |
|--|---|
| IBT-100, 200, 300 ISDN Tester | 60 |
| IBT-5, 10, 10U, 20 - ISDN Tester/Analyzer | 60 |
| DSL-311, 312, 322 | 48 |
| DA-3200, 3400, 3600 | 36 |
| HST-3000 WB2 SIMs - ANY SIM with WB2 in it | 36 |
| MTS/TB-5800 | 36 |
| OBS-15 | 36 |
| OBS-55 | 36 |
| OBS-550 | 36 |
| OCC-55, 56 | 36 |
| OLA-100 | 36 |
| OLA-150 | 36 |
| OLA-15B Variable Optical Attenuator | 36 |
| OLA-54 | 36 |
| OLA-55 | 36 |
| OLP-15C OLP-16C OLP-18C Optical Power Meters - High Performance | 36 |
| OLP-3x | 36 |
| OLP-4057 | 36 |
| OLP-5 OLP-6 and OLP-8 Optical Power Meters - Pocket Sized | 36 |
| OLP-55, 57 | 36 |
| OLP-87 | 36 |
| OLS-15 Optical Single port laser source - High performance | 36 |
| OLS-3x | 36 |
| OLS-5 Optical LED Source | 36 |
| OLS-55 | 36 |
| OLS-6 Optical Laser Source | 36 |
| OMK-14C 15C and 18C Optical Test Kits - High Performance | 36 |
| OMK-5 OMK-6 Optical Test Kits - Pocket Sized | 36 |
| OMK-7 Pocket-Sized Fiber Optic Test Kit | 36 |
| ONT-5XX, MTM, Optics Modules | 36 |
| ONX | 36 |
| ORL-55 | 36 |
| SmartClass Handhelds; All models Ethernet, Home, Triple Play, VDSL, ADSL, T1, E1 | 36 |
| T-BERD 310 Communications Analyzer | 36 |
| T-BERD 5800 | 36 |
| T-BERD 6000/8000 Transport Module | 36 |
| TLS-55 | 36 |
| (FV) Functional Verification - all units | 36 |



| Model | Recommended Calibration Interval (months) |
|--|---|
| ANT-10Gig | 24 |
| ANT-20 Advanced Network Tester | 24 |
| ANT-20E or ANT-20SE | 24 |
| ANT-40Gig | 24 |
| Cell Advisor-Cable & Antenna Analyzer - JD723X, JD724X, JD725X, JD726X | 24 |
| COSA-4055 | 24 |
| HST-3000/CTI/E1/E1-DC/T1/T3 SIM Modules | 24 |
| ONT-601, MTM, Optics Modules | 24 |
| ONT-603, 606, 612 | 24 |
| OSA-155 DWDM System Analyzer with pdm | 24 |
| OSA-1xx, 2xx Modules | 24 |
| OSA-3xx | 24 |
| RSAM, All models | 24 |
| ANT-5 SDH Access Tester | 18 |
| EST-120 EST-125 EDT-130 EDT-135 E1 and Data Testers | 18 |
| PA-20 PA-25 PF-30 PFA-30 PFA-35 E1 and Data Testers | 18 |
| PA-41 Frame/Signaling Analyzer | 18 |
| RX30xx series Backreflection meter | 15 |
| SWS Modules | 15 |
| 3SR | 12 |
| 3ST | 12 |
| C4000-LAN | 12 |
| Cell Advisor - Power Sensors - JD731X, JD732X, JD733X, JD734X | 12 |
| Cell Advisor - RF Analyzer - JD746, JD786 | 12 |
| Cell Advisor - Signal Analyer - JD748X, JD788X | 12 |
| Cell Advisor JD745X, JD7105X | 12 |
| Cell Advisor JD785X | 12 |
| CLI-950/1450/1750 Combination Meter | 12 |
| DSAM Digital Service Activation Meter; All models | 12 |
| DTS-3xxDigital Broadcast Test Platform | 12 |
| FIREBERD 6000A Communications Analyzer | 12 |
| FST-2207 T1/T3 Wireless Module | 12 |
| FST-2209 T1/T3 Module | 12 |
| FST-2230 E1/Data Communications Module | 12 |
| FST-2310 SONET Services Module | 12 |
| FST-2802 GE Tester | 12 |
| HST-3000C Mainframe and Copper Modules | 12 |
| LST-1700 | 12 |
| LT-1000 | 12 |



| Model | Recommended Calibration Interval (months) |
|---|---|
| M4000HPT, TB4000HPT (FIBER) | 12 |
| MAP Modules | 12 |
| MicroStealth MS-1000/1200/1300/1400 Signal Level Meters | 12 |
| MORL-A11308 | 12 |
| MSQ 800, 900 | 12 |
| MTS 5100e/5200e Field Optical Tester | 12 |
| MTS/TB OTDRs; All models | 12 |
| MTS/TB-6000 | 12 |
| MTS/TB-8000, 8000E | 12 |
| NGC-4500 (Certifier) | 12 |
| NT 950, 1050, 1055, 1025, 1150, 1155 | 12 |
| OFL20xx | 12 |
| OTU-9500 | 12 |
| PS-33A Level Generator | 12 |
| PSM-137 Level Measuring Set | 12 |
| PSM-139 Level Measuring Set | 12 |
| RPM1000, 2000, 3000 | 12 |
| SDA-4040D Stealth Digital Analyzer | 12 |
| SDA-5000 Stealth Digital Analyzer | 12 |
| SPM-32A SPM-33A SPM-36A Selective Level Meters | 12 |
| T-BERD 107A T1 Analyzer | 12 |
| T-BERD 209OSP Outside Plant Tester | 12 |
| T-BERD 224 Channel Access Tester | 12 |
| T-BERD 6000/8000 Mainframe FO Modules (Transport Module 36 mo, other Modules 12 mo) | 12 |
| VSE-1100 | 12 |
| Centest/T3AS Test Systems | No Calibration FV Only |
| FIT-Cleaning Systems | No Calibration FV Only |
| FIT-Fiber Test Equipment | No Calibration FV Only |
| FIT-Probe Microscopes and Displays | No Calibration FV Only |
| HCU200, 400, 1500 | No Calibration FV Only |
| HSM-1000 | No Calibration FV Only |
| HST-3000 Mainframe and non-Copper Modules (HST3000C and Copper Modules 36 Months) | No Calibration FV Only |
| MVP-200 | No Calibration FV Only |
| PathTrak Performance Monitoring System | No Calibration FV Only |
| QT-XXX Test Systems | No Calibration FV Only |
| XGIG | No Calibration FV Only |

